



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/540,833

06/23/2005

Hiroyuki Sato

10936-87

2138

24256 7590 12/04/2008
DINSMORE & SHOHL, LLP
1900 CHEMED CENTER
255 EAST FIFTH STREET
CINCINNATI, OH 45202

EXAMINER

LOEWE, ROBERT S

ART UNIT

PAPER NUMBER

1796

MAIL DATE

DELIVERY MODE

12/04/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/540,833	Applicant(s) SATO ET AL.	
	Examiner ROBERT LOEWE	Art Unit 1796	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 September 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 3-7 and 10-13 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 3-7 and 10-13 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

Applicant's arguments regarding the prior art rejection of Sato et al. (JP 2000-191785) are now moot in view of the new grounds of rejection. Sato et al. was relied upon as an anticipatory reference regarding claim 1 as previously presented. Sato et al. no longer qualifies as an anticipatory reference for claim 1 as amended, but is relied upon in the 103(a) rejection described below. Specifically, Applicants have narrowed the ratio claimed in step (2) of instant claim 1 from 1.00 to 1.09 to 1.015 to 1.075. It is believed by the Examiner that Sato et al. explicitly teaches a ratio of 1.083. While this ratio taught by Sato et al. does not anticipate instant claim 1, it is nevertheless believed to be obvious as described below.

While the grounds of rejection have changed, the Examiner is inclined to address Applicant's arguments regarding Sato et al. Applicants argue that Sato et al. teach a process which results in a lower melt viscosity than what is claimed (paragraph 0050 of the Sato et al. reference). Applicants further argue that Sato et al. teaches that a further heat treatment step is required to increase the melt viscosity to fall within the range of the instant claims. However, it should be pointed out that the process as claimed does not exclude the possibility of other process steps since the claim is written in open-ended format using "comprising".

Applicant's argument that Sato et al. does not exemplify step (1) of the claimed process is unpersuasive. Sato et al. explicitly suggests that the alkali metal hydrosulfide and alkali metal hydroxide may be reacted in situ to prepare the alkali metal sulfide. A reference may be relied upon for all that it teaches, including non-preferred embodiments.

Applicant's arguments regarding the prior art rejection of Miyahara et al. (US Pat. 5,840,830) have been fully considered and are not found to be persuasive. Applicants argue that the process of Miyahara et al. is different from the instant invention since Miyahara et al. teaches a recovery step for the hydrogen sulfide while amended claim 1 now recites "wherein hydrogen sulfide formed upon the dehydration is discharged as a gas to the exterior of the system". The specification of Miyahara et al. teaches "the hydrogen sulfide formed and **vaporized** off in the dehydration step is absorbed in an organic amide solvent **outside** the system in which the dehydration step is carried out" (7:34-43). So while Miyahara et al. does reuse the vaporized hydrogen sulfide, the **claimed** limitation of step (1) is anticipated by Miyahara et al. since Miyahara et al. teaches that the hydrogen sulfide formed upon the dehydration is discharged as a gas to the exterior of the system. The process step of reuse is not pertinent to the instant claim 1 since additional process steps may be present which are not claimed, owing to the use of the limitation "comprising".

Applicants further argue that Miyahara et al. cannot anticipate the claimed invention since Miyahara et al. does not exemplify step (1) of the claimed process. This argument is found to be unpersuasive. Miyahara et al. explicitly suggests that the alkali metal hydrosulfide and alkali metal hydroxide may be reacted in situ to prepare the alkali metal sulfide (4:61-64). A reference may be relied upon for all that it teaches, including non-preferred embodiments.

Claim Rejections - 35 USC § 102


The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 3-7 and 10-13 are rejected under 35 U.S.C. 102(b) as being anticipated by Miyahara et al. (US Pat. 5,840,830).

Claim 5: Miyahara et al. teaches a process for producing a poly(arylene sulfide) by polymerizing a sulfur source and a dihalo-aromatic compound in an organic amide solvent. Miyahara et al. first teaches a dehydration step whereby sodium sulfide and NMP are subjected to distillation, removing a part of the distillate containing water (10:55-67). While Miyahara et al. employs sodium sulfide pentahydrate as the starting material in the working examples, Miyahara et al. does teach that the sodium sulfide can be produced in situ by reaction of sodium hydrosulfide and sodium hydroxide (4:61-64) "in an almost equimolar amount" (6:49-53). Miyahara et al. therefore effectively anticipates the process limitations corresponding to dehydration step (1) of instant claim 5.

Miyahara et al. further teaches a charging step of adding sodium hydroxide and water to the mixture remaining after the dehydration step such that the mole ratio of water to charged sulfur source is from 0.3 to 5.0 (6:61-65) and the total number of moles of NaOH to charged sulfur source is 1.083. Arrival at the value is shown below:

Example of Miyahara et al. (12:34-51)





Total available "S" is $(22.54 \text{ mol} - 0.50 \text{ mol}) = 22.39 \text{ mol}$

Since Miyahara et al. teaches that Na_2S can be prepared in situ from sodium hydroxide and sodium hydrosulfide (4:61-64) "in an almost equimolar amount" (6:49-53) Miyahara et al. teaches the following set of reactions when using an equimolar amount of NaOH and NaSH (the

Art Unit: 1796

number of moles of each component is such that it equals the number of moles of Na₂S starting material used by Miyahara et al. in the application example):



Miyahara et al. further teaches that 7.9 g of NaOH (0.198 mol) is then added, providing for 22.57 mol of NaOH (22.39 + 0.198). Additionally there are 0.88 mol of NaOH generated by volatilization of H₂S, thus yielding a total of 23.45 mol of NaOH (22.57 + 0.88). The mol ratio of NaOH in the reactor/available S is thus (23.45/22.83) = 1.027, which falls in the claimed mole ratios of instant claims 5, 8 and 9. Miyahara et al. therefore effectively anticipates the process limitations corresponding to charging step (2) of instant claim 5.

Miyahara et al. further teaches a first-stage polymerization step of adding a dihalo-aromatic compound to the mixture followed by polymerization at 180 °C to 235 °C to form a prepolymer at a conversion rate of 50-98 mol% (9:23-34). Miyahara et al. therefore effectively anticipates the process limitations corresponding to a first-stage polymerization step (3) of instant claim 5.

Miyahara et al. further teaches a second-stage polymerization step of controlling the amount of water such that there is from 2.0 up to 10 mol of water per mole of charged sulfur source with heating at 245 °C to 290 °C to continue polymerization (9:23-34). Miyahara et al. therefore effectively anticipates the process limitations corresponding to a second-stage polymerization step (4) of instant claim 5. In summary, Sato et al. anticipates all of the claimed process steps of instant claim 5.

Art Unit: 1796

Miyahara et al. does not explicitly teach a poly(arylene sulfide) having a bis(4-chlorophenyl)sulfide content lower than 50 ppm as determined by a gas chromatographic analysis, and a ratio (MV2/MV1) of a melt viscosity value (MV2) of the poly(arylene sulfide) after a reaction with aminosilane to a melt viscosity value (MV1) before the reaction exceeding 2.0 as measured at a temperature of 310 °C and a shear rate of 1,216 sec⁻¹. Miyahara et al. also does not explicitly teach a poly(arylene sulfide) having a yellow index of at most 10. However, the poly(arylene sulfide) as taught by Miyahara et al. and Applicant's disclosure are both produced in the same manner, therefore any physical properties achieved by the compositions of Miyahara and the instant application would inherently be the same. A chemical composition and its properties are inseparable. Therefore, if the prior art teaches the identical chemical structure, the properties applicant discloses and/or claims are necessarily present. *In re Spada*, 911 F.2d 705, 709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990). See also *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977). "Where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established." See MPEP 2112.01.

Claim 6: Miyahara et al. teaches the claimed process for preparing poly(arylene sulfides) of instant claim 5, as described above. Miyahara et al. does not explicitly teach that the alkali-metal hydroxides and alkali-metal hydrosulfides are supplied as respective aqueous mixtures. However, at the time of invention, a person having ordinary skill in the art would have found it obvious to employ these materials as aqueous mixtures and would have been motivated to do so since, for large-scale industrial reactions, it is often desirable to employ solutions of reactive

Art Unit: 1796

solids, as opposed to handling the materials in solid form. For example sodium hydroxide, and sodium hydrosulfide are corrosive and reactive materials which are best handled in aqueous form to promote safer handling and simplicity of addition into reaction vessels.

Claim 7: Miyahara et al. further teaches during the dehydration step, that the reaction mixture is heated to a temperature of 60 to 280 °C (7:11-24).

Claim 10: Miyahara et al. does not explicitly teach that the prepolymer according to instant claim 5 has a melt viscosity during the first-stage polymerization step of 0.5 to 30 Pa·s. However, the poly(arylene sulfide) as taught by Miyahara et al. and Applicant's disclosure are both produced in the same manner, therefore any physical properties achieved by the compositions of Miyahara and the instant application would be inherently be the same. A chemical composition and its properties are inseparable. Therefore, if the prior art teaches the identical chemical structure, the properties applicant discloses and/or claims are necessarily present. *In re Spada*, 911 F.2d 705,709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990). See also *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977). "Where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established." See MPEP 2112.01

Claim 11 : Miyahara et al. further teaches after the second-stage polymerization step, (5) a separation step of separating the polymer from the reaction mixture containing the polymer, and (6) a washing step of washing the polymer thus separated with an organic solvent (9:49-64).

Claim 12: Miyahara et al. further teaches that the separation is achieved by sieving/filtering (9:49-64).

Claim 13: Miyahara et al. further teaches that the organic solvent used in the washing step is acetone (11:21-26).

Claims 3 and 4: Miyahara et al. inherently teaches the same process for preparing a poly(arylene sulfide) as applied to claim 5 above. Miyahara et al. does not explicitly teach a poly(arylene sulfide) having a bis(4-chlorophenyl)sulfide content lower than 50 ppm as determined by a gas chromatographic analysis, and a ratio (MV2/MV 1) of a melt viscosity value (MV2) of the poly(arylene sulfide) after a reaction with aminosilane to a melt viscosity value (MV 1) before the reaction exceeding 2.0 as measured at a temperature of 310 °C and a shear rate of 1,216 sec⁻¹. Miyahara et al. also does not explicitly teach a poly(arylene sulfide) having a bis(4-chlorophenyl)sulfide content is at most 30 ppm, the ratio (MV2/MV1) is 2.1 to 3.0, and the yellow index is at most 7. However, the poly(arylene sulfide) as taught by Miyahara et al. and Applicant's disclosure are both produced in the same manner, therefore any physical properties achieved by the compositions of Miyahara and the instant application would inherently be the same. A chemical composition and its properties are inseparable. Therefore, if the prior art teaches the identical chemical structure, the properties applicant discloses and/or claims are necessarily present. *In re Spada*, 911 F.2d 705, 709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990). See also *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977). "Where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established." See MPEP 2112.01.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 3-7 and 10-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sato et al. (JP-2000-191785). For convenience, the English translation, provided by Schreiber Translations, will be relied upon. All citations herein below refer to the English translation.

Claim 5: Sato et al. teaches a process for producing a poly(arylene sulfide) by polymerizing a sulfur source and a dihalo-aromatic compound in an organic amide solvent. Sato et al. first teaches a dehydration step whereby sodium sulfide and NMP are subjected to distillation, removing a part of the distillate containing water (paragraph 0057). While Sato et al. employs sodium sulfide pentahydrate as the starting material of application example 1, Sato et al. does teach that the sodium sulfide can be produced in situ by reaction of sodium hydrosulfide and sodium hydroxide (paragraph 0018). Sato et al. further teaches if this is the case, then the


Art Unit: 1796

sodium hydrosulfide and sodium hydroxide are added in equimolar amounts (paragraph 0026).

Sato et al. therefore teaches the process limitations corresponding to dehydration step (1) of instant claim 5.



Sato et al. further teaches a charging step of adding sodium hydroxide and water to the mixture remaining after the dehydration step such that the mole ratio of water to charged sulfur source is from 0.5 to 2.0 (paragraph 0026) and the total number of moles of NaOH to charged sulfur source is 1.083. Arrival at the value is shown below:

Application example of Sato et al.



Total available "S" is $(22.54 \text{ mol} - 0.50 \text{ mol}) = 22.04 \text{ mol}$

Since Sato et al. teaches that Na_2S can be prepared in situ from sodium hydroxide and sodium hydrosulfide (paragraph 0018) in approximately equimolar amounts (paragraph 0026) Sato et al. teaches the following set of reactions when using an equimolar amount of NaOH and NaSH (the number of moles of each component is such that it equals the number of moles of Na_2S starting material used by Sato et al. in the application example):



Total available "S" is $(22.43 \text{ mol} - 0.31 \text{ mol}) = 22.04 \text{ mol}$

Sato et al. further teaches that 13.3 g of NaOH (0.333 mol) is then added, providing for 22.873 mol of NaOH $(22.04 + 0.333)$. Additionally there are 1.00 mol of NaOH generated by volatilization of H_2S , thus yielding a total of 23.873 mol of NaOH $(22.873 + 1.00)$. The mol ratio of NaOH in the reactor/available S is thus $(23.873/22.04) = 1.083$, which is very close to the

Art Unit: 1796

claimed mole ratio of instant claim 5. Sato et al. therefore teaches the process limitations corresponding to charging step (2) of instant claim 5. While 1.083 does not fall within the range of 1.015 to 1.075 as claimed, the courts have stated that “A *prima facie* case of obviousness exists where the claimed ranges and prior art ranges do not overlap but are close enough that one skilled in the art would have expected [the claimed product and a product disclosed in the prior art] to have the same properties.” *Titanium Metals Corp. of America v. Banner*, 778 F.2d 775, 227 USPQ 773 (Fed. Cir. 1985). In the instant case, there is nothing shown by the Applicants that the upper limit of 1.075 and the claimed range would have different properties. In addition, the instant application does not see substantial differences in the final physical properties of the poly(arylene sulfides) until a NaOH/"S" ratio of 1.10 is employed.

Sato et al. further teaches a first-stage polymerization step of adding a dihalo-aromatic compound to the mixture followed by polymerization at 170 °C to 270 °C to form a prepolymer at a conversion rate of 50-98 mol% (paragraph 0035 and application example 1). Sato et al. therefore effectively teaches process limitations corresponding to a first-stage polymerization step (3) of instant claim 5.

Sato et al. further teaches a second-stage polymerization step of controlling the amount of water such that there is from 2.0 up to 10 mol of water per mole of charged sulfur source with heating at 245 °C to 290 °C to continue polymerization (paragraph 0035 and application example 1). Sato et al. therefore effectively anticipates the process limitations corresponding to a second-stage polymerization step (4) of instant claim 1. In summary, Sato et al. teaches or renders obvious all of the claimed process steps of instant claim 5.

Sato et al. does not explicitly teach a poly(arylene sulfide) having a bis(4-chlorophenyl)sulfide content lower than 50 ppm as determined by a gas chromatographic analysis, and a ratio (MV2/MV1) of a melt viscosity value (MV2) of the poly(arylene sulfide) after a reaction with aminosilane to a melt viscosity value (MV1) before the reaction exceeding 2.0 as measured at a temperature of 310 °C and a shear rate of 1,216 sec⁻¹. Sato et al. also does not explicitly teach a poly(arylene sulfide) having a yellow index of at most 10. However, the poly(arylene sulfide) as taught by Sato et al. and Applicant's disclosure are both produced in the same manner as claimed, therefore any physical properties achieved by the compositions of Sato and the instant application would inherently be the same. A chemical composition and its properties are inseparable. Therefore, if the prior art teaches the identical chemical structure, the properties applicant discloses and/or claims are necessarily present. *In re Spada*, 911 F.2d 705, 709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990). See also *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977). "Where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established." See MPEP 2112.01.

Claim 6: Sato et al. does not explicitly teach that the alkali-metal hydroxides and alkali-metal hydrosulfides are supplied as respective aqueous mixtures. However, at the time of invention, a person having ordinary skill in the art would have found it obvious to employ these materials as aqueous mixtures and would have been motivated to do so since, for large-scale industrial reactions, it is often desirable to employ solutions of reactive solids, as opposed to handling the materials in solid form. For example sodium hydroxide, and sodium hydrosulfide

Art Unit: 1796

are corrosive and reactive materials which are best handled in aqueous form to promote safer handling and simplicity of addition into reaction vessels.

Claim 7: Sato et al. further teaches during the dehydration step, that the reaction mixture is heated to a temperature of 100 to 250 °C (paragraph 0028).

Claim 10: Sato et al. does not explicitly teach that the prepolymer according to instant claim 5 has a melt viscosity during the first-stage polymerization step of 0.5 to 30 Pa·s. However, the poly(arylene sulfide) as taught by Sato et al. and Applicant's disclosure are both produced in the same manner, therefore any physical properties achieved by the compositions of Sato and the instant application would be inherently be the same. A chemical composition and its properties are inseparable. Therefore, if the prior art teaches the identical chemical structure, the properties applicant discloses and/or claims are necessarily present. In re Spada, 911 F.2d 705,709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990). See also In re Best, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977). "Where the Claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a prima facie case of either anticipation or obviousness has been established." See MPEP 2112.01

Claim 11: Sato et al. further teaches after the second-stage polymerization step, (5) a separation step of separating the polymer from the reaction mixture containing the polymer, and (6) a washing step of washing the polymer thus separated with an organic solvent (paragraphs 0048 and 0058).

Claim 12: Sato et al. further teaches that the separation is achieved by sieving/filtering (paragraph 0058, washing with water and drying section).

Claim 13: Sato et al. further teaches that the organic solvent used in the washing step is acetone (paragraph 0048).

Claims 3 and 4: Sato et al. inherently teaches the same process for preparing a poly(arylene sulfide) as applied to claim 5 above. Sato et al. does not explicitly teach a poly(arylene sulfide) having a bis(4-chlorophenyl)sulfide content lower than 50 ppm as determined by a gas chromatographic analysis, and a ratio (MV2/MV1) of a melt viscosity value (MV2) of the poly(arylene sulfide) after a reaction with aminosilane to a melt viscosity value (MV 1) before the reaction exceeding 2.0 as measured at a temperature of 310 °C and a shear rate of 1,216 sec⁻¹. Sato et al. also does not explicitly teach a poly(arylene sulfide) having a bis(4- chlorophenyl)sulfide Content is at most 30 ppm, the ratio (MV2/MV1) is 2.1 to 3.0, and the yellow index is at most 7. However, the poly(arylene sulfide) as taught by Sato et al. and Applicant's disclosure are both produced in the same manner, therefore any physical properties achieved by the compositions of Sato and the instant application would inherently be the same. A chemical composition and its properties are inseparable. Therefore, if the prior art teaches the identical chemical structure, the properties applicant discloses and/or claims are necessarily present. *In re Spada*, 911 F.2d 705,709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990). See also *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977). "Where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established." See MPEP 2112.01.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert Loewe whose telephone number is (571) 270-3298. The examiner can normally be reached on Monday through Friday from 5:30 AM to 3:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy Gulakowski can be reached on (571) 272-1302. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications

Art Unit: 1796

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/R. L./

Examiner, Art Unit 1796

1-Dec-08

/Randy Gulakowski/

Supervisory Patent Examiner, Art Unit 1796